

Chum salmon reference List –
Procite search results November 16, 2005

- ADF&G (Alaska Department of Fish and Game). 2000. Yukon River Fall Chum Salmon Stock Status and Development of Management Action Plan Options: A Report to the Alaska Board of Fisheries. ADF&G Regional Information Report, 3A00-37. Alaska Department of Fish and Game, Division of Commercial Fisheries, Anchorage, Alaska.
- ADF&G (Alaska Department of Fish and Game). 2000. Yukon River Summer Chum Salmon Stock Status and Development of management/Action Plan Options: A Report to the Alaska Board of Fisheries. ADF&G Regional Information Report, 3A00-39. Alaska Department of Fish and Game, Division of Commercial Fisheries, Anchorage, Alaska.
- ADF&G (Alaska Department of Fish and Game). 2000. Yukon River Summer Chum Salmon Stock Status and Development of Mangement/Action Plan Options:A Report to the Alaska Board of Fisheries. ADF&G Regional Information Report, 3A00-39. Alaska Department of Fish and Game, Division of Commercial Fisheries, Anchorage, Alaska.
- ADF&G (Alaska Department of Fish and Game). 2004. Kuskokwim River Summer Chum Salmon Stock Status and Action Plan. ADF&G Regional Information Report, 3A04-02. Alaska Department of Fish and Game, Division of Commercial Fisheries, Anchorage, Alaska.
- ADF&G (Alaska Department of Fish and Game). 2004. Sonar Estimation of Chum Salmon Passage in the Aniak River, 2003. ADF&G Regional Information Report, 3A04-21. Alaska Department of Fish and Game, Division of Commercial Fisheries, Anchorage, Alaska.
- ADF&G (Alaska Department of Fish and Game). 2004. Yukon River fall chum salmon stock status and action plan A Report to the Alaska Board of Fisheries. ADF&G Regional Information Report, 3A04-05. Alaska Department of Fish and Game, Division of Commercial Fisheries, Anchorage, Alaska.
- ADF&G (Alaska Department of Fish and Game). 2004. Yukon River Summer Chum Salmon Stock Status and Action Plan. ADF&G Regional Information Report, 3A04-03. Alaska Department of Fish and Game, Division of Commercial Fisheries, Anchorage, Alaska.
- Apodaca, C. K., T.J. Underwood, J.F. Bromaghin, and D.W. Daum. 2004. Estimated abundance of adult fall chum salmon in the middle Yukon River, Alaska, 2003. Alaska Fisheries Technical Report, Number 71. U. S. Fish and Wildlife Service, Anchorage, Alaska.
- Arvey, W. D., and M. J. Mills. 1991. Sport harvest of anadromous salmon in the Yukon River drainage, 1977-1989. Fishery Data Series, No 91-41. Alaska Department of Fish and Game, Division of Sport Fish, Anchorage, Alaska.
- Arvey, W. D., and M. J. Mills. 1993. Sport harvest of anadromous salmon in the Yukon River drainage, 1977-1991. Fishery Data Series, No 93-3. Alaska Department of Fish and Game, Division of Sport Fish, Anchorage, Alaska.

- Auburn, M. E., and S. E. Ignell. 2000. Food habits of juvenile salmon in the Gulf of Alaska July-August 1996. Pages 89-97 in J. H. Helle, Y. Ishida, D. Noakes, and V. Radchenko, editors. Recent changes in ocean production of Pacific salmon. North Pacific Anadromous Fish Commission, Vancouver, B.C.
Notes: Reference from set filtered from Norton Sound RRP database.
- Auburn, M. E., and S. E. Ignell. 2000. Food habits of juvenile salmon in the Gulf of Alaska July-August 1996. North Pacific Anadromous Fish Commission Bulletin 2:89-97.
Notes: Reference from set filtered from Norton Sound RRP database.
- Azuma, T. 1992. Diel feeding habits of sockeye and chum salmon in the bering sea during the summer. Nippon Suisan Gakkaishi 58:2019-2025.
Notes: Reference from set filtered from Norton Sound RRP database.
- Azumaya, T., and Y. Ishida. 2000. Density interactions between pink salmon (*Oncorhynchus gorbuscha*) and chum salmon (*O keta*) and their possible effects on distribution and growth in the north Pacific Ocean and Bering Sea. Pages 165-174 in J. H. Helle, Y. Ishida, D. Noakes, and V. Radchenko, editors. Recent changes in ocean production of Pacific salmon. North Pacific Anadromous Fish Commission, Vancouver, B.C.
Notes: Reference from set filtered from Norton Sound RRP database.
- Baker, T. T. 1989. Creel censuses conducted in interior Alaska during 1988. Fishery Data Series, No 95. Alaska Department of Fish and Game, Division of Sport Fish, Juneau, Alaska.
- Barton, L. 1994. Sonar enumeration of fall chum salmon on the Sheenjek River, 1993. ADF&G Regional Information Report, 3A94-24. Alaska Department of Fish and Game, Division of Commercial Fisheries, Anchorage, Alaska.
- Barton, L. 2000. Sonar Estimation of Fall Chum Salmon Abundance in the Sheenjek River, 1999. ADF&G Regional Information Report, 3A00-27. Alaska Department of Fish and Game, Division of Commercial Fisheries, Anchorage, Alaska.
- Barton, L. H. 1999. Sonar estimation of fall chum salmon abundance in the Sheenjek River, 1994-1998. ADF&G Regional Information Report, 3A99-28. Alaska Department of Fish and Game, Division of Commercial Fisheries, Anchorage, Alaska.
- Barton, L. 2002. Sonar Estimation of Fall Chum Salmon Abundance in the Sheenjek River, 2000. ADF&G Regional Information Report, 3A02-26. Alaska Department of Fish and Game, Division of Commercial Fisheries, Anchorage, Alaska.
- Bax, N. J. 1983. Early marine mortality of marked juvenile chum salmon (*Oncorhynchus keta*) released into Hood Canal, Puget Sound, Washington, in 1980. Canadian Journal of Fisheries and Aquatic Sciences 40:426-435.
Notes: referenced in RR Plan.
- Beacham, T. D. 2003. Stock identification of Yukon River chum salmon using microsatellite DNA loci. Report to Yukon River Panel, Project CRE 79-03.
- Beamish, R. J., and M. Folkes. 1998. Recent changes in the marine distribution of juvenile chum salmon off Canada. Pages 443-453 in D. W. Welch, D. M. Eggers, K. Wakayabi, and V. I. Karpenko, editors. Assessment and status of Pacific Rim salmonid stocks. North Pacific Anadromous Fish Commission, Vancouver, British Columbia.

Notes: Reference from set filtered from Norton Sound RRP database.

- Bergstrom, D. J., and C. Whitmore. 2004. Kuskokwim River chinook and chum salmon stock status and action plan. ADF&G Regional Information Report, 3A04-02. Alaska Department of Fish and Game, Division of Commercial Fisheries, Anchorage, Alaska.
- Bergstrom, D. J., and C. Whitmore. 2004. Kuskokwim River chinook and chum salmon stock status and action plan. ADF&G Regional Information Report 3A04-02. Alaska Department of Fish and Game, Anchorage, Alaska.
- Bernard, D. R., and A. L. DeCicco. 1986. Stock assessment of the Dolly Varden char of Kotzebue Sound. Fishery Data Series, No 19. Alaska Department of Fish and Game, Division of Sport Fish, Juneau, Alaska.
- Bernard, D. R., and A. L. DeCicco. 1987. Stock assessment of the Dolly Varden char of Kotzebue Sound. Fishery Data Series, No 19. Alaska Department of Fish and Game, Division of Sport Fish, Juneau, Alaska.
- Bigler, B. 1988. Focal scale damage among chum salmon (*Oncorhynchus keta*) of the Bering sea and the Gulf of Anadyr, 1966 II Geographic distribution and stock identification. Bull. Fac. Fish. Hokkaido University 39:80-85.
Notes: Reference from set filtered from Norton Sound RRP database In English. FR 3(4).
- Bigler, B., and D. Burwen. 1984. Migratory timing and spatial entry patterns of chum salmon in Kotzebue Sound. ADF&G Informational Leaflet, 238.
- Bird, F. 1982. Preliminary forecast model for Kotzebue Sound, Alaska, chum salmon . ADF&G Informational Leaflet, 203.
- Brannian, L. K. 1984. Recovery distribution of chum salmon (*Oncorhynchus keta*) tagged in the North Pacific offshore of the Alaskan Peninsula and eastern Aleutian Island chain. ADF&G Informational Leaflet, 237. Alaska Department of Fish and Game,
- Bromaghin, J. F., and T. J. Underwood. 2003. Evidence of residual effects from tagging Yukon River fall chum salmon in 2001. Alaska Fisheries Technical Report, Number 67. U. S. Fish and Wildlife Service, Anchorage, Alaska.
- Bromaghin, J. F., and T.J. Underwood. 2004. Evidence of residual effects from the capture and handling of Yukon River fall chum salmon in 2002. Alaska Fisheries Technical Report, Number 70. U. S. Fish and Wildlife Service, Anchorage, Alaska.
- Bromaghin, J. F., T.J. Underwood, and R. Hander. 2004. An evaluation of fall chum salmon mark rates upriver of the Rampart mark-recapture tagging site, Yukon River, Alaska, 2003. Alaska Fisheries Technical Report, Number 76. U. S. Fish and Wildlife Service, Anchorage, Alaska.
- Bue, F. 2000. Norton Sound Subdistrict 1 (Nome) Chum Salmon Stock Status and Development of Management/Action Plan Options: A Report to the Alaska Board of Fisheries. ADF&G Regional Information Report, 3A00-36. Alaska Department of Fish and Game, Anchorage, Alaska.

- Bue, F. 2000. Norton Sound Subdistrict 1 (Nome) Chum Salmon Stock Status and Development of Management/Action Plan Options: A Report to the Alaska Board of Fisheries. ADF&G Regional Information Report, 3A00-36. Alaska Department of Fish and Game, Division of Commercial Fisheries, Anchorage, Alaska.
- Bue, F. 2000. Norton Sound Subdistricts 2 and 3 (Golovin and Moses Point) Chum Salmon Stock Status and Development of management/Action Plan Options: A Report to the Alaska Board of Fisheries. ADF&G Regional Information Report, 3A00-35. Alaska Department of Fish and Game, Anchorage, Alaska.
- Bue, F. 2000. Norton Sound Subdistricts 2 and 3 (Golovin and Moses Point) Chum Salmon Stock Status and Development of Management/Action Plan Options: A Report to the Alaska Board of Fisheries. ADF&G Regional Information Report, 3A00-35. Alaska Department of Fish and Game, Division of Commercial Fisheries, Anchorage, Alaska.
- Buklis, L. S. 1994. Information on the catch and escapement of chum salmon in the Arctic-Yukon-Kuskokwim Region in 1993, with a historical perspective. ADF&G Regional Information Report, 3A94-13. Alaska Department of Fish and Game, Division of Commercial Fisheries, Anchorage, Alaska.
- Buklis, L. S., and L. H. Barton. 1984. Yukon River fall chum salmon biology and stock status. ADF&G Informational Leaflet, 239.
- Burkey, C., M. Coffing, D.B. Molyneaux, and P. Salomone. 2000. Kuskokwim River Chum Salmon Stock Status and Development of Management/Action Plan Options: A Report to the Alaska Board of Fisheries. ADF&G Regional Information Report, 3A00-41. Alaska Department of Fish and Game, Division of Commercial Fisheries, Anchorage, Alaska.
- Burkey, C. M. C. D. B. M., and P. Salomone. 2000. Kuskokwim River Chum Salmon Stock Status and Development of management/Action Plan Options: A Report to the Alaska Board of Fisheries. ADF&G Regional Information Report, 3A00-41. Alaska Department of Fish and Game, Division of Commercial Fisheries, Anchorage, Alaska.
- Candy, J. R., B. G. Flannery, and T. D. Beacham. 2005. Building a collaborative chum salmon microsatellite baseline for the Yukon River genetic stock identification. Proceedings of the 22nd Pink and Chum Salmon Workshop.
- Cappiello, T. A., and D.L. Bruden. 1997. Mark-recapture abundance estimate of fall-run chum salmon in the upper Tanana River, Alaska, 1996. ADF&G Regional Information Report, 3A97-37. Alaska Department of Fish and Game, Division of Commercial Fisheries, Anchorage, Alaska.
- Chapell, R. 2000. Anvik River Chum Salmon Escapement Studies, 1997-1999. ADF&G Regional Information Report, 3A00-28. Alaska Department of Fish and Game, Division of Commercial Fisheries, Anchorage, Alaska.
- Chapell, R. S. 2001. Anvik River Chum Salmon Escapement Studies, 1997-1999. ADF&G Regional Information

- Report, 3A01-12. Alaska Department of Fish and Game, Division of Commercial Fisheries, Anchorage, Alaska.
- Chythlook, J. S., and M. J. Evenson. 2003. Assessment of chinook, chum, and coho salmon escapements in the Holitna River drainage using radiotelemetry, 2002. Fishery Data Series, No. 03-23. Fairbanks, Alaska.
- Chythlook J. S., and M. J. Evenson. 2003. Assessment of Chinook, Chum, and Coho Salmon Escapements in the Holitna River Drainage Using Radiotelemetry, 2002. Fishery Data Series, No 03-23. Alaska Department of Fish and Game, Division of Sport Fish, Anchorage, Alaska.
- Clark, J. 2001. Biological Escapement Goal for Andreafsky River Chum Salmon. ADF&G Regional Information Report, 3A01-07. Alaska Department of Fish and Game, Division of Commercial Fisheries, Anchorage, Alaska .
- Clark, J. 2001. Biological Escapement Goal for Kwiniuk and Tubutulik Rivers Chum Salmon. ADF&G Regional Information Report, 3A01-08. Alaska Department of Fish and Game, Division of Commercial Fisheries, Anchorage, Alaska.
- Clark, J. 2001. Biological Escapement Goal for Nome Subdistrict Chum Salmon. ADF&G Regional Information Report, 3A01-09. Alaska Department of Fish and Game, Division of Commercial Fisheries, Anchorage, Alaska .
- Clark, J., and G. Sandone. 2001. Biological Escapement Goal for Anvik River Chum Salmon. ADF&G Regional Information Report, 3A01-06. Alaska Department of Fish and Game, Division of Commercial Fisheries, Anchorage, Alaska.
- Clark, J. H. 2001. Biological escapement goal for chum salmon in District One of Norton Sound (draft). Regional Information Report, 3A01-09. ADF&G Div. Comm. Fish., AYK Reg., Anchorage, Alaska.
- Clark, J. H. 2001. Biological escapement goal for chum salmon in subdistrict one of Norton Sound. ADF&G Regional Information Report, 3A01-09. Alaska Department of Fish and Game, Division of Commercial Fisheries, Anchorage, Alaska.
- Clark, J. H. 2001. Regional Information Report , 3A01-08. ADF&G Div. Comm. Fish. AYK Reg., Anchorage, Alaska.
- Cleary, P. M., and D.A. Bruden. 2000. Estimation of fall chum salmon abundance on the upper Tanana River using mark recapture techniques, 1998. ADF&G Regional Information Report, 3A00-03. Alaska Department of Fish and Game, Division of Commercial Fisheries, Anchorage, Alaska.
- Cleary, P. 2004. Fall chum salmon abundance estimation on the Tanana and Kantishna Rivers using mark-recapture techniques, 2003. ADF&G Regional Information Report, 3A04-24. Alaska Department of Fish and Game, Division of Commercial Fisheries, Anchorage, Alaska.

- Cleary, P. M., and T. Hamazaki. 2002. Estimation of Fall Chum Abundance on the Tanana and Kantishna Rivers Using Mark Recapture Techniques. ADF&G Regional Information Report, 3A02-17. Alaska Department of Fish and Game, Division of Commercial Fisheries, Anchorage, Alaska.
- Cleary, P. M., and T. Hamazaki. 2002. Estimation of Fall Chum Abundance on the Tanana and Kantishna Rivers Using Mark Recapture Techniques, 2001. ADF&G Regional Information Report, 3A02-22. Alaska Department of Fish and Game, Division of Commercial Fisheries, Anchorage, Alaska.
- Crane, P. A., and L. W. Seeb. 2000. Genetic analysis of chum salmon harvested in the South Peninsula, post June fishery, 1996-1997. Regional Information Report, 5J00-05. Alaska Department of Fish and Game, Division of Commercial Fisheries, Juneau., Alaska.
- Daum, D. W. 1991. Sonar Enumeration of Fall Chum Salmon on the Chandalar River, 1989. Alaska Fisheries Progress Report, Number 8. U. S. Fish and Wildlife Service, Anchorage, Alaska.
- Daum, D. W., and Bruce M. Osborne. 1998. Enumeration of Chandalar River Fall Chum Salmon Using Split-beam Sonar, 1997. Alaska Fisheries Technical Report, Number 47. U. S. Fish and Wildlife Service, Anchorage, Alaska.
- Daum, D. W., and Bruce M. Osborne. 1999. Enumeration of Chandalar River Fall Chum Salmon Using Split-beam Sonar, 1998. Alaska Fisheries Technical Report, Number 50. U. S. Fish and Wildlife Service, Anchorage, Alaska.
- Daum, D. W., and Bruce M Osborne. 2000. Enumeration of Chandalar River Fall Chum Salmon Using Split-Beam Sonar, 1999. Alaska Fisheries Technical Report, Number 58. U. S. Fish and Wildlife Service, Anchorage, Alaska.
- Daum, D. W., and et al. 1991. Sonar Enumeration of Fall Chum Salmon in the Chandalar River, 1988. Alaska Fisheries Progress Report, Number 6. U. S. Fish and Wildlife Service, Anchorage, Alaska.
- Daum, D. W., and Mitch Osborne. 1995. Enumeration of Chandalar River Fall Chum Salmon Using Split-Beam Sonar, 1994. Alaska Fisheries Progress Report, Number 95-4. U. S. Fish and Wildlife Service, Anchorage, Alaska.
- Daum, D. W., and Mitch Osborne. 1996. Enumeration of Chandalar River Fall Chum Salmon Using Split-Beam Sonar, 1995. Alaska Fisheries Progress Report, Number 96-2. U. S. Fish and Wildlife Service, Anchorage, Alaska.
- Daum, D. W., and Rod Simmons. 1991. Sonar Enumeration of Fall Chum Salmon in the Chandalar River, 1987. Alaska Fisheries Progress Report, Number 5. U. S. Fish and Wildlife Service, Anchorage, Alaska.
- Daum, D. W., and Troyer. 1992. Sonar Enumeration of Fall Chum Salmon on the Chandalar River, 1990. Alaska Fisheries Progress Report, Number 92-1. U. S. Fish and Wildlife Service, Anchorage, Alaska.

- Daum et al. 1992. Sonar Enumeration of Fall Chum Salmon on the Chandalar River, 1986-1990. Alaska Fisheries Technical Report, Number 16. U. S. Fish and Wildlife Service, Anchorage, Alaska.
- Davis, N. D., K. Y. Aydin, and Y. Ishida. 2000. Diel catches and food habits of sockeye, pink, and chum salmon in the central Bering Sea in summer. Pages 99-110 in J. H. Helle, Y. Ishida, D. Noakes, and V. Radchenko, editors. Recent changes in ocean production of Pacific salmon. North Pacific Anadromous Fish Commission, Vancouver, B.C.
Notes: Reference from set filtered from Norton Sound RRP database.
- Davis, R. H., and C. Olito. 1986. Preliminary investigations of genetic structure of chum salmon, *Oncorhynchus keta*, in the Noatak and Kobuk river drainages of Northwestern Alaska. Alaska Department of Fish and Game,
- DiCicco, A. L. 1990. Northwest Alaska Dolly Varden study 1989. Fishery Data Series, No 90-8. Alaska Department of Fish and Game, Division of Sport Fish, Anchorage, Alaska.
- Doxey, M. 2004. Salmon studies in the Chena, Chatanika, Delta Clearwater, and Salcha Rivers, 2001. Fishery Data Series, No 04-01. Alaska Department of Fish and Game, Division of Sport Fish, Anchorage, Alaska.
- Dunaway, D. O. 1997. Monitoring the sport fisheries of the Aniak River, Alaska, 1996. Fishery Management Report, , No 97-4. Alaska Department of Fish and Game, Division of Sport Fish, Anchorage, Alaska.
- Dunaway, D. O., A. E. Bingham, and R. E. Minard. 1991. Effort, catch, and harvest statistics for the chinook salmon sport fishery in the middle Mulchatna River, Alaska, during 1990. Fishery Data Series, No 91-40. Alaska Department of Fish and Game, Division of Sport Fish, Anchorage, Alaska.
- Dunbar, R. 2002. Sonar Estimation of Fall Chum Salmon Abundance in the Sheenjek River, 2001. ADF&G Regional Information Report, 3A02-27. Alaska Department of Fish and Game, Division of Commercial Fisheries, Anchorage, Alaska.
- Eggers, D. 2001. Biological Escapement Goal for Yukon River Fall Chum Salmon. ADF&G Regional Information Report, 3A01-10. Alaska Department of Fish and Game, Division of Commercial Fisheries, Anchorage, Alaska .
- Eggers, D. M., K. Rowell, and B. Barrett. 1988. The stock composition of the catches of sockeye and chum salmon in the 1987 South Peninsula fishery based on tagging: Volume II - Appendices. Regional Information Report, 5J88-03. Alaska Department of Fish and Game, Division of Commercial Fisheries, Juneau, Alaska.
- Eggers, D. M., K. Rowell, and B. Barrett. 1988. The stock composition of the catches of sockeye and chum salmon in the 1987 South Peninsula fishery based on tagging: Volume I - text. Regional Information Report, 5J88-03. Alaska Department of Fish and Game, Division of Commercial Fisheries, Juneau, Alaska.
- Eggers, D. M., K. Rowell, and B. Barrett. 1989. Final data: stock composition of the catches of sockeye and chum salmon in the 1987 South Peninsula fishery based on tagging. Regional Information Report, 5J89-06.

Alaska Department of Fish and Game, Division of Commercial Fisheries, Juneau, Alaska.

- Eggers, D. M., K. Rowell, and B. Barrett. 91. Stock composition of sockeye and chum salmon catches in southern Alaska Peninsula fisheries in June. Fishery Research Bulletin
Notes: Reference from set filtered from Norton Sound RRP database.
- Farley, E. V. Jr., P. T. Hagen, and J. H. Helle. 2001. Variations in catch per unit effort of thermally marked pink and chum salmon juveniles in the Gulf of Alaska during 1996 and 1998 in relation to adult hatchery salmon returns. Pages pp. 23-26 in Hagen, P., Meerburg, D., Myers, K., Rogatnykh, A., Urawa, S., and Volk, E. editors. Workshop on salmonid otolith marking. North Pacific Anadromous Fish Commission, Vancouver, British Columbia.
- Faustini, M. A. 1999. Abundance and Run Timing of Adult Chum Salmon in the Sturgeon River, Kodiak, Alaska, 1998. Alaska Fisheries Data Series, Number 99-2. U. S. Fish and Wildlife Service, Anchorage, Alaska.
- Flannery, B. G. 2004. Application of molecular markers for mixed-stock analysis of Yukon River fall chum salmon. University of Alaska Fairbanks.
Notes: M.S. Thesis.
- Fukuwaka, M., and T. Suzuki. 2002. Early sea mortality of mark-recaptured juvenile chum salmon in open coastal waters. Journal of Fish Biology 60:3-12 .
Notes: Reference from set filtered from Norton Sound RRP database.
- Fukuyama, M., and T. Suzuki. 1998. Role of a riverine plume as a nursery area for chum salmon, *Oncorhynchus keta*. Marine Ecology Progress Series 173: 289-297.
Notes: Reference from set filtered from Norton Sound RRP database.
- Gaudet, D. M., and G. Schaefer. 82. Migrations of salmon in Norton Sound, Alaska determined by tagging in 1978-1979.
Notes: Reference from set filtered from Norton Sound RRP database Information Leaflet No. 198, ADF&G.
- Gordon, J. A., U. T. J. Steven P. Klosiewski, and Randolph J. Brown. 1998. Estimated Abundance of Adult Fall Chum Salmon in the Upper Yukon River, Alaska, 1996. Alaska Fisheries Technical Report, Number 45. U. S. Fish and Wildlife Service, Anchorage, Alaska.
- Habicht, C., and J. E. Seeb. In prep. Status review of chum salmon from the Nome Subdistrict of Norton Sound, Alaska. Regional Information Report, Alaska Department of Fish and Game, Division of Commercial Fisheries,
- Hamner, H., and Shane St. Clair. 2004. An Inventory of Age, Sex and Length Data for Norton Sound, Kotzebue, and Kuskokwim Chum Salmon. ADF&G Regional Information Report, 3A04-06. Alaska Department of Fish and Game, Division of Commercial Fisheries, Anchorage, Alaska.
- Hebert, K. P., and D.L. Bruden. 1998. Mark-recapture population size estimate of fall chum salmon in the upper Tanana River, 1997. ADF&G Regional Information Report, 3A98-21. Alaska Department of Fish and Game, Division of Commercial Fisheries, Anchorage, Alaska.
- Helle, J. H. 1979. Influence of marine environment on age and size at maturity, growth, and abundance of chum

salmon, *Oncorhynchus keta* (Walbaum), from Olsen Creek, Prince William Sound, Alaska. Oregon State University, Corvallis, Oregon.

Notes: Reference from set filtered from Norton Sound RRP database PhD. thesis.

Helle, J. H., and M. S. Hoffman. 1998. Changes in size and age maturity of two North American stocks of chum salmon (*Oncorhynchus keta*) before and after a major regime shift in the North Pacific Ocean. Pages 81-89 in D. W. Welch, D. M. Eggers, K. Wakayabi, and V. I. Karpenko, editors. Assessment and status of Pacific Rim salmonid stocks. North Pacific Anadromous Fish Commission, Vancouver, British Columbia.

Notes: Reference from set filtered from Norton Sound RRP database.

Helle, J. H., Y. Ishida, D. Noakes, and V. Radchenko, editors. 2000. Recent changes in ocean production of Pacific salmon. North Pacific Anadromous Fish Commission, Vancouver, British Columbia.

Notes: Reference from set filtered from Norton Sound RRP database.

Hillgruber, N., C. Zimmerman, and L. Haldorson. 2004. Early marine ecology of juvenile chum salmon (*Oncorhynchus keta*) in Kuskokwim Bay, Alaska. July 15, 2004 progress report. Anchorage, AK.

Irie, T. 1985. Occurrence and distribution of offshore migrating juvenile chum salmon along the Pacific coast of Northern Japan. Bull. Japan Soc. Fish. 51:749-754.

Notes: Reference from set filtered from Norton Sound RRP database In Japanese with English summary SFA 30(4).

Ishida, T., S. Ito, M. Kaeriyama, S. McKinnell, and K. Nagasawa. 1993. Recent changes in age and size of chum salmon (*Oncorhynchus keta*) in the north Pacific Ocean and possible causes. Canadian Journal of Fisheries and Aquatic Sciences 50:290-295.

Notes: referenced in RR Plan.

Johnson, O. W., W. S. Grant, R. G. Cope, K. Neely, F. W. Waknitz, and R. S. Waples. 1997. Status review of chum salmon from Washington, Oregon and California. NOAA Technical Memorandum NMFS-NWFSC-32. U.S. Department of Commerce, Seattle, Washington.

K. Burek, and T.J. Underwood. 2002. Morbidity of tagged wild adult fall chum salmon captured by fish wheel in the Yukon River, Alaska. Alaska Fisheries Technical Report, Number 60. U. S. Fish and Wildlife Service, Anchorage, Alaska.

K. G. Wuttig, and M. J. Evenson. 2002. Assessment of Chinook, chum, and coho salmon escapements in the Holitna River drainage using radiotelemetry, 2001. Fishery Data Series, No 02-05. Alaska Department of Fish and Game, Division of Sport Fish, Anchorage, Alaska.

Kerkvliet, C. 2004. A Mark-recapture experiment to Estimate the Abundance of Kusko River Sockeye, Chum, and Coho Salmon, 2003. ADF&G Regional Information Report, 3A04-14. Alaska Department of Fish and Game, Division of Commercial Fisheries, Anchorage, Alaska.

Kerkvliet, C. M. 1986. 1986 Hooper Bay salmon tagging study. Bering Sea Fisherman's Association, Anchorage, Alaska.

Kerkvliet, C. M., T. Hamazaki, K. Hyer, and D. Cannon. 2003. A mark-recapture experiment to estimate the abundance of Kuskokwim River sockeye, chum, and coho salmon, 2002. Regional Information Report, 3A03-25. Anchorage, Alaska.

- Kerkvliet, C. 2003. A Mark-Recapture Experiment to Estimate the Abundance of Kuskokwim River Chum, Sockeye and Coho Salmon, 2002. ADF&G Regional Information Report, 3A03-25. Alaska Department of Fish and Game, Division of Commercial Fisheries, Anchorage, Alaska.
- Klovatch, N. 2000. Tissue degeneration in chum salmon and carrying capacity of the north Pacific ocean. Pages 83-88 in J. H. Helle, Y. Ishida, D. Noakes, and V. Radchencko, editors. Recent changes in ocean production of Pacific salmon. North Pacific Anadromous Fish Commission, Vancouver, B.C.
Notes: Reference from set filtered from Norton Sound RRP database.
- Kohler, T., and G. Kneupfer. 2001. Nome River salmon counting weir project, 2001. Regional Information Report, No. 3A02-13. Alaska Department of Fish and Game, Division of Commercial Fisheries, Anchorage, Alaska.
- Kohler, T. G. October 2003. Salmonid escapements into selected Norton Sound drainages using towers and weirs, 2003. ADF&G Regional Information Report, 3A03-33. Alaska Department of Fish and Game, Division of Commercial Fisheries, Anchorage, Alaska.
- Koski, K. V. 1975. The survival and fitness of two stocks of chum salmon (*Oncorhynchus keta*) from egg deposition to emergence in a controlled stream environment at Big Beef Creek. University of Washington, Seattle, WA.
Notes: Reference from set filtered from Norton Sound RRP database.
- Kovtun, A. A. 2000. Wild and hatchery production and recruitment of autumn chum salmon (*Oncorhynchus keta* Walbaum) in the Tym river, Sakhalin, 1960-1998. Pages 255-261 in J. H. Helle, Y. Ishida, D. Noakes, and V. Radchencko, editors. Recent changes in ocean production of Pacific salmon. North Pacific Anadromous Fish Commission, Vancouver, B.C.
Notes: Reference from set filtered from Norton Sound RRP database.
- Lafferty, R., and A. E. Bingham. 2002. Survey of rod-and-reel fisheries in the Aniak River, Alaska, 2001. Fishery Data Series, No 02-16. Alaska Department of Fish and Game, Division of Sport Fish, Anchorage, Alaska.
- Lieb, D. W., and Carl Pfisterer. 2002. Estimation of Aniak River Chum Salmon Passage in 2001 Using Hydroacoustic Methodologies. ADF&G Regional Information Report, 3A02-38. Alaska Department of Fish and Game, Division of Commercial Fisheries, Anchorage, Alaska.
- Lignau, T., and P. Salomone. 2003. Preliminary 2003 Yukon Area Chinook and Summer Chum Salmon Fishery Summary. Informational Letter, Alaska Department of Fish and Game, Division of Commercial Fisheries, Anchorage, Alaska.
- Lignau, T. 2002. Anvik River Sonar Chum Salmon Escapement Study, 2001. ADF&G Regional Information Report, 3A02-25. Alaska Department of Fish and Game, Division of Commercial Fisheries, Anchorage, Alaska.
- Lloyd, D. S. 1996. Relative effects of mixed stock fisheries on specific stocks of concern: application to fixed escapements and Norton Sound chum salmon. Alaska Fisheries Research Bulletin 3: 32-44.
Notes: Reference from set filtered from Norton Sound RRP database.

- Loftus, W. F. 1976. Food habits of the salmon smolts, *Oncorhynchus tshawytscha* and *O keta*, from the Salcha River, Alaska. Central Michigan University, Mt. Pleasant, Michigan.
Notes: Reference from set filtered from Norton Sound RRP database.
- Loftus, W. F., and H. L. Lenon. 1977. Food habits of the salmon smolts, *Oncorhynchus tshawytscha* and *O keta*, from the Salcha River, Alaska. Transactions of the American Fisheries Society 106:235-240.
Notes: Reference from set filtered from Norton Sound RRP database.
- Magdanz, J. S. 1992. Subsistence Salmon Fishing by permit in the Nome Subdistrict and Portions of the Port Clarence District. Technical Paper No 220, Alaska Department of Fish and Game, Division of Subsistence,
- Magdanz, J. S., and Annie Olanna. 1984. Controls on Fishing Behavior on the Nome River. Technical Paper No 102, Alaska Department of Fish and Game, Division of Subsistence,
- Mathisen, O. A., and K. O. Coyle, editors. 1996. Ecology of the Bering Sea: a review of Russian literature . University of Alaska-Fairbanks., Fairbanks, Alaska.
Notes: Reference from set filtered from Norton Sound RRP database.
- Matsuoka, M., A. Yoshida, and F. Yamazaki. 1987. Genetic characteristics of chum salmon populations in Moheji River and its adjacent sea waters. Bull. Fac. Fish. Hokkaido Univ. 38:343-348.
Notes: Reference from set filtered from Norton Sound RRP database In Japanese with English summary-FR 33(3).
- McLean, R. F. 2001. report on status of spawning habitat in the Norton Sound subdistrict. Unpublished work.
Notes: Reference from set filtered from Norton Sound RRP database.
- Meka, J., and C. Zimmerman. Body condition and feeding ecology of juvenile chum salmon fry during freshwater outmigration . Study funded by Arctic-Yukon-Kuskokwim Sustainable Salmon Initiative , Proposal summary viewed at <http://www.aykssi.org/prod/index.htm>.
- Melagari, J. T. 1995. Distribution of Radio-Tagged Fall Chum Salmon in the South Fork Koyukuk River, 1990. Alaska Fisheries Data Series, Number 95-3. U. S. Fish and Wildlife Service, Anchorage, Alaska.
- Menard, J., and Dan Bergstrom. 2003. Norton Sound, Galovin and Moses Point Subdistricts Chum Salmon Stock Status and Action Plan. ADF&G Regional Information Report, 3A03-36. Alaska Department of Fish and Game, Division of Commercial Fisheries, Anchorage, Alaska.
- Menard, J., and Dan Bergstrom. 2003. Norton Sound Nome Subdistrict Chum Salmon Stock Status and Action Plan. ADF&G Regional Information Report, 3A03-35. Alaska Department of Fish and Game, Division of Commercial Fisheries, Anchorage, Alaska.
- Merritt, M. F. 2001. Strategic plan for salmon research in the Kuskokwim River drainage. Special Publication, , No 01-07. Alaska Department of Fish and Game, Division of Sport Fish, Anchorage, Alaska.
- Merritt, M. F., and J. A. Raymond. 1983. Early life history of chum salmon in the Noatak River and Kotzebue Sound. FRED, 1. Alaska Department of Fish and Game,

- Moore, H. A., and T. L. Lingnau. 2002. Anvik River Sonar Chum Salmon Escapement Study, 2000. ADF&G Regional Information Report, 3A02-05. Alaska Department of Fish and Game, Division of Commercial Fisheries, Anchorage, Alaska.
- Nemeth, M. J., B. H. Haley, and S. Kinneen. 2003. Fecundity of chum and coho salmon from Norton Sound, Alaska. Unpublished report for the Norton Sound Disaster Relief Fund by LGL Alaska Research Associates and Norton Sound Economic Development Corporation, LGL Alaska Research Associates, Anchorage, Alaska.
- Nemeth, M. J., B. H. Haley, S. Kinneen, and W. Griffiths. 2003. Ecology of juvenile chum salmon from Norton Sound, Alaska. Unpublished report for the Norton Sound Disaster Relief Fund by LGL Alaska Research Associates and Norton Sound Economic Development Corporation, LGL Alaska Research Associates, Anchorage, Alaska.
- Nomura, T., H. R. Carlson, K. W. Myers, C. M. Kondzela, and J. M. Murphy. 2000. Lipid composition in muscle and liver tissues of chum and pink salmon captured in the Gulf of Alaska during May, 1999. Pages 36-37 in R. Beamish, Y. Ishida, V. Karpenko, P. Livingston, and K. Myers, editors. Workshop on factors affecting production of juvenile salmon: comparative studies on juvenile salmon ecology between the east and west North Pacific Ocean. North Pacific Anadromous Fish Commission, Vancouver.
- Notes: Reference from set filtered from Norton Sound RRP database.
- Nomura, T., S. Urawa, and Y. Ueno. 2000. Recent changes in ocean production of Pacific salmon. North Pacific Anadromous Fish Commission Bulletin , North Pacific Anadromous Fish Commission , Vancouver, B.C.
- Ogura, M. 1992. Long-term changes in distribution and growth of Japanese chum salmon in the North Pacific Ocean. Technical Report of the Hokkaido Salmon Hatchery, 161. Hokkaido Salmon Hatchery,
- Ogura, M., and S. Ito. 1994. Change in the known ocean distribution of Japanese chum salmon, *Oncorhynchus keta* , in relation to the progress of stock enhancement. Canadian Journal of Fisheries and Aquatic Sciences 51:501-505.
- Notes: Reference from set filtered from Norton Sound RRP database.
- Osborne, B. M., and D. W. Daum. 1997. Enumeration of Chandalar River Fall Chum Salmon Using Split-beam Sonar, 1996. Alaska Fisheries Technical Report, Number 42. U. S. Fish and Wildlife Service, Anchorage, Alaska.
- Osborne, B. M., and J.L. Melegari. 2002. Enumeration of Chandalar River fall chum salmon using split-beam sonar, 2000. Alaska Fisheries Technical Report, Number 61. U. S. Fish and Wildlife Service, Anchorage, Alaska.
- Park, L. K., M. A. Brainard, D. A. Dightman, and G. A. Winans. 1993. Low levels of intraspecific variation in the mitochondrial DNA of chum salmon (*Oncorhynchus keta*). Molecular Marine Biology and Biotechnology 2:362-370.
- Notes: Reference from set filtered from Norton Sound RRP database.
- Parker, J. F. 1991. Status of coho salmon in the Delta Clearwater River of Interior Alaska. Fishery Manuscript, , No 91-4. Alaska Department of Fish and Game, Division of Sport Fish, Anchorage, Alaska.

- Peterman, R. M., and S. L. Haeseker. 2003. Modeling of variation in productivity of pink and chum salmon stocks in the Arctic-Yukon-Kuskokwim region of Alaska. Arctic-Yukon-Kuskokwim Salmon Workshop. Bering Sea Fisherman's Association, Anchorage, Alaska.
- Price, M., and J. Larson. 1999. Abundance and run timing of chinook, chum, coho, pink, and sockeye salmon in the Kulukak River, Togiak National Wildlife Refuge, Alaska, 1994-1996. Alaska Fisheries Technical Report, Number 52. U. S. Fish and Wildlife Service, Anchorage, Alaska.
- Price, M. A. 2001. Abundance and Run Timing of Adult Chum Salmon, and Steelhead Kelt Emigration in the Sturgeon River, Kodiak, Alaska, 1999. Alaska Fisheries Data Series, Number 2001-2. U. S. Fish and Wildlife Service, Anchorage, Alaska.
- Radchenko, V. 2002. Anadyr River chum salmon.
Notes: Reference from set filtered from Norton Sound RRP database.
- Raymond, J. A., and C. Skaugstad. 1986. Observations on the emigration of hatchery-produced chum salmon in the Noatak River, Alaska. Alaska Department of Fish and Game,
- Regnart, R. I. P. Fridgen, and M. Geiger. 1966. Age, sex, and size compositions of arctic and sub-arctic Alaska stocks of chum and sockeye salmon. INPFC annual meeting, 1966 . International North Pacific Fishery Commission.
- Rutz, D. S. 1999. Movements, food availability and stomach contents of northern pike in selected Susitna River drainages, 1996-1997 . Fishery Data Series, No 99-5. Alaska Department of Fish and Game, Division of Sport Fish, Anchorage, Alaska.
- Salmenkova, E. A., V. T. Omel'chenko, and Y. P. Altukhov. 1992. Geneographic study of chum salmon *Oncorhynchus keta* (Walbaum) populations in Asiatic areas of the species range. Soviet Genetics 28:61-75.
Notes: Reference from set filtered from Norton Sound RRP database.
- Salo, E. O. 1991. Life history of chum salmon (*Oketa*). Pages 231-310 in C. Groot and L. Margolis, editors. Pacific Salmon Life Histories. University of British Columbia Press, Vancouver, B.C.
Notes: Reference from GEM database.
- Sano, S. 1966. Salmon of the North Pacific - Part III A review of the life history of North Pacific salmon 3 Chum salmon in the far east. International North Pacific Fisheries Commission Bulletin, International North Pacific Fisheries Commission, Canada.
- Schneiderhan, D. J. 1997. A history of scale pattern analysis as applied to stock identification of chinook and chum salmon in the Yukon River. ADF&G Regional Information Report, 3A97-33 . Alaska Department of Fish and Game, Division of Commercial Fisheries, Anchorage, Alaska.
- Seeb, L. W., and P. A. Crane. 1999. Allozymes and mitochondrial DNA discriminate Asian and North American populations of chum salmon in mixed-stock fisheries along the south coast of the Alaska Peninsula. Transactions of the American Fisheries Society 128:88-103.
Notes: Reference from set filtered from Norton Sound RRP database.
- Seeb, L. W., and P. A. Crane. 1999. High genetic heterogeneity in chum salmon in Western Alaska, the contact zone between northern and southern lineages. Transactions of the American Fisheries Society 128:58-87.

Notes: Reference from set filtered from Norton Sound RRP database two major divisions result from last ice age. Division near Port Heiden. Susistna from northen/Asian group.

Seeb, L. W., P. A. Crane, and E. M. Debevec. 1997. Genetic analysis of chum salmon harvested in the South Unimak and Shumagin Islands June fisheries, 1993-1996. Regional Information Report , 5J97-17. Alaska Department of Fish and Game, Division of Commercial Fisheries, Juneau, Alaska.

Shotwell, S. K., M. D. Adkison, and D. H. Hanselman. In Press. Accounting for climate variability in forecasting Alaskan chum salmon in data-limited situations. Assessment and Management of New and Developed Fisheries in Data-Limited Situations.

Simmons, R., and D. W. Daum. 1989. Sonar Enumeration of Fall Chum Salmon on the Chandalar River, 1986. Alaska Fisheries Progress Report, Number 3. U. S. Fish and Wildlife Service, Anchorage, Alaska.

Skaugstad, C. 1994. Salmon studies in Interior Alaska, 1993. Fishery Data Series, No 94-14. Alaska Department of Fish and Game, Division of Sport Fish, Anchorage, Alaska.

Sobelman, S. 1984. Background Paper on Subsistence Salmon Fishery, Inmachuk River, Deering. Technical Paper No 110, Alaska Department of Fish and Game, Division of Subsistence,

Sobolevskiy, E. I., V. I. Radchenko, and A. V. Startsev. 1994. Distribution and diet of chum salmon, *Oncorhynchus keta*, in the fall-winter period in the western part of the Bering Sea and Pacific ocean waters of Kamchatka. Journal of Ichthyology 34:92-101.

Notes: Reference from set filtered from Norton Sound RRP database FR 40(1) .

Spearman, B., and S. Miller. 1997. Genetic Stock Identification of Chum Salmon (*Oncorhynchus keta*) from the Yukon River District 5 Subsistence Fishery. Alaska Fisheries Technical Report, Number 40. U. S. Fish and Wildlife Service, Anchorage, Alaska.

Stroka, S. M., and A.L.J. Brase. 2004. Assessment of Chinook, Chum, and Coho Salmon Escapements in the Holitna River Drainage Using Radiotelemetry, 2001- 2003. Fishery Data Series, No 04-07. Alaska Department of Fish and Game, Division of Sport Fish, Anchorage, Alaska.

Stuby, L. 2000. Salmon studies in the Chena, Chatanika, and Delta Clearwater rivers, 1999. Fishery Data Series, No 00-4. Alaska Department of Fish and Game, Division of Sport Fish, Anchorage, Alaska.

Stuby, L. 2001. Salmon studies in interior Alaska, 2000. Fishery Data Series, No 01-24. Alaska Department of Fish and Game, Division of Sport Fish, Anchorage, Alaska.

Tallman, R. F., and M. C. Healey. 1991. Phenotypic Differentiation in seasonal ecoytpes of chum salmon, *Oncorhynchus keta*. Canadian Journal of Fisheries and Aquatic Sciences 48:661-671.

Notes: Reference from set filtered from Norton Sound RRP database.

Taylor, E. B., T. D. Beacham, and M. Kaeriyama. 1994. Population structure and identification of North Pacific ocean chum salmon (*Oncorhynchus keta*) revealed by an analysis of minisatellite DNA variation. Canadian Journal of Fisheries and Aquatic Sciences 51:1430-1442.

Notes: Reference from set filtered from Norton Sound RRP database.

- Tetra Tech. 1981. A study of the distribution of pink and chum salmon smolts in marine waters near Nome, Alaska: draft final report . Tetra Tech, Pasadena, California.
- Todd, G. 2004. Estimation of Chum Salmon Abundance and spawning Distribution in the Fish River Complex, 2002. ADF&G Regional Information Report, 3A04-28. Alaska Department of Fish and Game, Division of Commercial Fisheries, Anchorage, Alaska.
- Troyer. 1993. Sonar Enumeration of Chum Salmon in the South Fork Koyukuk River, 1990. Alaska Fisheries Technical Report, Number 19. U. S. Fish and Wildlife Service, Anchorage, Alaska.
- Ueno, Y. 1993. Studies on the ecology and resource maturing chum salmon off the Pacific coast of Northern Honshu. Bulletin of the National Research Institute of Far Seas Fisheries 30:79-206.
Notes: Reference from set filtered from Norton Sound RRP database In Japanese and English. FR 39(3).
- Underwood, T. J., Christine K. Apodaca, Jeffery F. Bromaghin, and D. W. Daum. 2004. Estimated abundance of adult fall chum salmon in the middle Yukon River, Alaska, 2002. Alaska Fisheries Technical Report, Number 66. U. S. Fish and Wildlife Service, Anchorage, Alaska.
- Underwood, T. J., and J. F. Bromaghin. 2002. Estimated abundance of adult fall chum salmon in the middle Yukon River, Alaska, 2000-2001. Alaska Fisheries Technical Report, Number 62. U. S. Fish and Wildlife Service, Anchorage, Alaska.
- Underwood, T. J., Jeffrey F. Bromaghin, and Steven P. Klosiewski. 2002. Evidence of handling mortality in fall chum salmon caused by fish wheel capture on the Yukon River, Alaska. Alaska Fisheries Technical Report, Number 59. U. S. Fish and Wildlife Service, Anchorage, Alaska.
- Underwood, T. J., Steven P. Klosiewski, and Jeff L. Melegari. 2000. Estimated Abundance of Adult Fall Chum Salmon in the Middle Yukon River, Alaska, 1997. Alaska Fisheries Technical Report, Number 57. U. S. Fish and Wildlife Service, Anchorage, Alaska.
- Underwood, T. J., Steven P. Klosiewski, Judith A. Gordon, Jeff L. Melegari, and Randolph J. Brown. 2000. Estimated Abundance of Adult Fall Chum Salmon in the Upper Yukon River, Alaska, 1997. Alaska Fisheries Technical Report, Number 56. U. S. Fish and Wildlife Service, Anchorage, Alaska.
- Urawa, S., P. T. Hagen, D. Meerburg, A. Rogatnykh, and E. Volk. 2001. Compiling and coordinating salmon otolith marks in the North Pacific. Pages pp. 13-15 in Hagen, P., Meerburg, D., Myers, K., Rogatnykh, A., Urawa, S., and Volk, E. editors. Workshop on salmonid otolith marking. North Pacific Anadromous Fish Commission, Vancouver, British Columbia.
- Urawa, S., and H. Honma. 1992. Special issue: enhancement and population dynamics of Japanese chum salmon stocks in the North Pacific Ocean. Technical Report of the Hokkaido Salmon Hatchery, 161. Hokkaido Salmon Hatchery,
- Urawa, S., M. Kawana, G. Anma, Y. Kamei, T. Shoji, M. Fukuwaka, K. M. Munk, K. W. Myers, and E. V. Farley Jr. 2000. Geographic origin of high-seas chum salmon determined by genetic and thermal otolith markers. Pages 283-290 in J. H. Helle, Y. Ishida, D. Noakes, and V. Radchenko, editors. Mercury in the Marine

Environment. North Pacific Anadromous Fish Commission, Vancouver, B.C.

Notes: Reference from set filtered from Norton Sound RRP database.

Urawa, S., Y. Ueno, Y. Ishida, L. W. Seeb, P. A. Crane, S. Abe, and N. D. Davis. North Pacific Anadromous Fish Commission Technical Report No. 2.

Urawa, S., Y. Ueno, Y. Ishida, L. W. Seeb, P. A. Crane, S. Abe, and N. D. Davis. 2000. A migration model of Japanese chum salmon during early ocean life. Pages 1-2 in R. Beamish, Y. Ishida, V. Karpenko, P. Livingston, and K. Myers, editors. Workshop on factors affecting production of juvenile salmon: comparative studies on juvenile salmon ecology between the east and west North Pacific Ocean. North Pacific Anadromous Fish Commission, Vancouver.

Notes: Reference from set filtered from Norton Sound RRP database.

Van Hyning, J. M. 1994. Factors affecting the return of chum salmon to Norton Sound, Alaska. Report to the Native American Rights Fund, The Statistics and Epidemiology Research Corporation, Seattle, Washington.

Varnavskaya, N. V., R. L. Wilmot, C. M. Kondzela, V. Efremov, V. A. Davydenko, X. Luan, E. A. Sboeva, and C. M. Guthrie. 1998. Genetic variation in Asian populations of chum salmon, *Oncorhynchus keta* (Walbaum). Page 504 in D. W. Welch, D. M. Eggers, K. Wakayabi, and V. I. Karpenko, editors. Assessment and status of Pacific Rim salmonid stocks. North Pacific Anadromous Fish Commission, Vancouver, British Columbia.

Notes: Reference from set filtered from Norton Sound RRP database.

Walker, R. V., Myers, K.W., and S. Ito. 1998. Growth studies from 1956-95 collections of pink and chum salmon scales in the central north Pacific Ocean. Pages 54-65 in D. W. Welch, D. M. Eggers, K. Wakayabi, and V. I. Karpenko, editors. Assessment and status of Pacific Rim salmonid stocks. North Pacific Anadromous Fish Commission, Vancouver, British Columbia.

Notes: Reference from set filtered from Norton Sound RRP database.

Welch, D. W., D. M. Eggers, K. Wakayabi, and V. I. Karpenko, editors. 1998. Assessment and status of Pacific Rim salmonid stocks. North Pacific Anadromous Fish Commission, Vancouver, British Columbia.

Notes: Reference from set filtered from Norton Sound RRP database.

Wilcock, J. A. 1988. Feasibility of using scale patterns analysis to identify the origins of chum salmon in Yukon River fisheries, 1987. ADF&G Regional Information Report, 3A88-23. Alaska Department of Fish and Game, Division of Commercial Fisheries, Anchorage, Alaska.

Wilmot, R. L., R. Everett, W. J. Spearman, and R. Baccus. 1992. Genetic stock identification of Yukon River chum and chinook salmon 1987 to 1990. U.S. Fish and Wildlife Service, Anchorage, Alaska.

Wilmot, R. L., R. J. Everett, W. J. Spearman, R. Baccus, N. V. Varnavskaya, and S. V. Putivkin. 1994. Genetic stock structure of Western Alaska chum salmon and a comparison to Russian Far East stocks. Canadian Journal of Fisheries and Aquatic Sciences 51: 84-94.

Notes: Reference from set filtered from Norton Sound RRP database.

Wilmot, R. L., C. M. Kondzela, C. M. Guthrie, and M. M. Masuda. 1998. Genetic stock identification of chum salmon harvested incidentally in the 1994 and 1995 Bering Sea trawl fishery. Pages 285-299 in D. W. Welch, D. M. Eggers, K. Wakayabi, and V. I. Karpenko, editors. Assessment and status of Pacific Rim salmonid stocks. North Pacific Anadromous Fish Commission, Vancouver, British Columbia.

Notes: Reference from set filtered from Norton Sound RRP database.

- Wilmot, R. L., C. M. Kondzela, C. M. Guthrie, A. Moles, E. Martinson, and J. H. Helle. 2000. Origins of sockeye and chum salmon seized from the Chinese vessel *Ying Fa*. Doc. 410. Auke Bay Fisheries Laboratory, Alaska Fisheries Science Center, Juneau, AK.
- Winans, G. A., P. B. Aebersold, Y. Ishida, and S. Urawa. 1998. Genetic stock identification of chum salmon in highseas test fisheries in the western north Pacific Ocean and Bering Sea. Pages 220-226 *in* D. W. Welch, D. M. Eggers, K. Wakayabi, and V. I. Karpenko, editors. Assessment and status of Pacific Rim salmonid stocks. North Pacific Anadromous Fish Commission, Vancouver, British Columbia.
Notes: Reference from set filtered from Norton Sound RRP database.
- Winans, G. A., P. B. Aebersold, S. Urawa, and N. V. Varnavskaya. 1994. Determining continent of origin of chum salmon (*Oncorhynchus keta*) using genetic stock identification techniques: status of allozyme baseline in Asia. Pages 95-113 *in* International symposium on genetics of subarctic fish and shellfish. Canadian Journal of Fisheries and Aquatic Sciences.